

THE MICHAELS ART BRONZE CO.

EXHIBIT CASES

RECESSED CASES • TABLE CASES

AISLE CASES • WALL CASES



RECESSED CASES

DESCRIPTION: Recessed exhibit cases are available with bronze or aluminum frames. If specified, removable panels may be substituted for standard hinged panels. Interiors may be wood or metal and may accommodate cork (bulletin case) or a grooved (directory cases) backboard. Case dimensions are variable to suit the wall openings or displayed materials. Glass shelving is $\frac{1}{4}$ " plate with polished edges as required. Heavier shelving may be supplied on request. All shelves are supported on corner brackets or arm brackets. An overhead double line fluorescent light reflector is featured in Case #350, adjustable front to back for best lighting effect. Servicing is easy as the lighting unit is extractable through the front hinged access panel. Cases may be used singularly or in continuous runs with mullion dividers and diaphragms.

MODELS:

No. 350—Wall Case, adjustable overhead lighting and hinged access panel.

No. 300—Wall Case, fixed overhead lighting serviced from case interior.



No. 360—Bulletin Case, lighting omitted, but available. Cork faced backboard.

No. 370—Directory Case, lighting omitted, but available. Grooved backboard for changeable lettering.

No. 380—Poster Case, fixed overhead lighting and cork faced backboard.

TYPE NO. 350 WALL CASE

Front hinged access panel may be lowered to service adjustable lighting unit.



Double line light reflector is adjustable front to back.

LIGHTING ACCESS DETAIL

SPECIFICATIONS:

1. GENERAL CONDITIONS

- a. The General Conditions of the contract for the construction of buildings, standard form of the American Institute of Architects and the Supplementary General Conditions are part of this contract.

2. SCOPE

- a. Contract for this portion of the work shall furnish all materials, equipment, services and labor required for the fabrication, delivery and erection of case specified herein except electrical connections.
- b. Materials

Frames	Anchors and Fasteners
Glass	Locks
Enclosure	Hardware
- c. Shop drawings shall be submitted for this portion of the work for approval by the architect. No work shall be started until the shop drawings have been approved.

3. CASE MANUFACTURER

- a. All exhibit cases shall be Type No. ____ as manufactured by the Michaels Art Bronze Co., Inc., as detailed on the contract drawings.
- b. Cases of other qualified manufacturers shall be considered only by written approval of the architect prior to the bidding due date.

4. MATERIALS

- a. Frame—Extruded aluminum alloy 6063-T5 or extruded architectural bronze alloy.
- b. Glass— $\frac{1}{4}$ " polished plate or other as specified.
- c. Interiors—special as required for type.
- d. Locks—Paracentric locks are standard in locked cases.
- e. Hardware—Shelving supports are corner brackets or arm brackets as specified.

5. FINISH


- a. Satin finish is standard for both aluminum and bronze. Other special finishes are available on request.

6. ERECTION

- a. Erection shall be performed only by highly skilled mechanics experienced in this type of work, and under the direct supervision of a qualified representative of the case manufacturer.
- b. Adjustment of the case shall be performed by the manufacturer after completion of the entire job.
- c. Final cleaning and protection of finishes shall be the responsibility of the general contractor, who shall be required to provide suitable protection for the work during and after installation.

STANDARD DETAILS


SCALE: HALF SIZE




JAMB




MULLION



SILL AND HEAD (TYPICAL)




HEAD (NO. 350 ONLY)




JUNCTURE (NO. 350 ONLY)

CONTEMPORARY DETAILS

SCALE: HALF SIZE



JAMB




MULLION



DESCRIPTION: Michaels' exhibit cases are tastefully designed to blend with the quiet dignity of monumental building types. They have been used successfully in museums, art galleries, libraries, universities, clubs, banks, or governmental buildings. All Michaels' exhibit cases have interlocking metal frames built to guard against the ingress of dust, vermin and moisture. Cases can be completely dismantled and reassembled by ordinary mechanics.

TABLE CASES:



TYPE NO. 110

No. 110 — Top lid hinged, having two point lock and lid supports. Dimensions overall: 36" high, 60" wide, 28" deep. Base 29½" high. Also available with apronless table.

No. 111 — Dimensions same as Type No. 110, except base is 26½" high. Also available with apronless table.

No. 120 — Top sloped lids hinged, having two point lock and lid supports. Dimensions overall: 39" high at center, 36" high at side, 60" long, 47½" deep. Base 29½" high. Also available with apronless table.

aisle cases:




TYPE NO. 130

No. 150 — Two hinged panels on each side. Six glass shelves adjustable every inch, supported by arm brackets on center standards. If preferred, removable panels can be substituted for hinged panels. Dimensions overall: 78" high, 79¾" wide, 32" deep. Base 20½" high. Interior diaphragms of plywood may be used. Similar cases composed of any number of panel sections can be supplied.

No. 160 — End panels hinged. Three glass shelves adjustable every inch, supported on corner brackets and telescopic standards at center. Dimensions overall: 66" high, 60" wide, 24" deep. Base 18½" high. Also available with apronless table.

No. 170 — End panels hinged. If preferred, removable panels can be substituted for hinged panels. Dimensions overall: 74" high, 68" wide, 34" deep. Base 32½" high. Also available with apronless table.

WALL CASES:



TYPE NO. 160

No. 130 — Front panels hinged. Six glass shelves adjustable every inch. Solid back panels. If preferred, removable panels can be substituted for hinged panels. Dimensions overall: 78" high, 83¾" wide, 15¾" deep. Base 20½" high. Similar cases composed of any number of panel sections can be supplied.

No. 140 — Front panel hinged. Three glass shelves adjustable every inch. Solid back panel. If preferred, removable panel can be substituted for hinged panel. Dimensions overall: 78" high, 42" wide, 15¾" deep. Base 20½" high.

No. 180 — Front center panel hinged. Six glass shelves adjustable every inch. Solid back panels. If preferred, removable panel can be substituted for hinged panel. Dimensions overall: 78" high, 69¾" wide, 15¾" deep. Base 20½" high. Center section 37¾" wide.

No. 190 — Corner wall case. Front center panel hinged. Three glass shelves adjustable every inch. Two back panels are solid, 29¾" deep overall. Two end panels are 16⅞" deep and center face panel is 18¾" wide. Overall height, 78". Base height, 20½".

No. 200 — Suspended Wall Case. Front panel hinged. If preferred, removable panel can be substituted for hinged panel. Dimensions: Should be determined by available wall space and type of exhibits. Suggested size: 37½" wide, 47½" high, 13½" deep. Two glass shelves adjustable every inch. Similar cases composed of any number of panel sections can be supplied.

Complete catalogue on Time-Tight exhibit cases is available on request.


THE MICHAELS ART BRONZE CO., P. O. BOX 668, COVINGTON, KY.

Plant and Office: Kenton Lands Road—Erlanger, Kentucky

MANUFACTURERS OF ARCHITECTURAL METAL PRODUCTS SINCE 1870

Metal Curtain Walls • Windows • Entrance Doors • Custom Store Fronts •

Railings • Ecclesiastical Work • Bank Equipment • Tablets & Signs • Astragals • Exhibit Cases



Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA